

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS
Rev03.

Printing date 05/02/2023

Reviewed on 05/02/2023

1 Product and Company Identification**· Product Identifier**

- **Trade name:** **SRD20 Vinyl Protectant**
- **Article number:**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Product description:** **High Gloss, Rubber and Tire Dressing**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SRD20 LLC
4400 Ambassador Caffrey Pkwy Ste A #177
Lafayette LA 70508
Ph: (337) 347-5675
Emergency telephone number: Chemtrec 800-424-9300

2 Hazard(s) identification**· Classification of the substance or mixture****GHS07**

- H302 Harmful if swallowed.
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H227 Combustible liquid

· Labeled Elements**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms**GHS07****· Signal word Warning****· Hazard statements**

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H315 Causes Skin
- H319 Causes serious eye irritation

· Precautionary statements

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from heat/sparks/open flames/hot surfaces.-No smoking.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing.

(Continued on Page 2)

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS
Rev03.

Printing date 05/02/2023

Reviewed on 05/02/2023

Trade name: SRD20 Vinyl Protectant

P321 Specific treatment (see on this label).
P362 Take off contaminated clothing and wash before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on Ingredients

· Sodium Hydroxides / Caustic Soda	Cas #	1310-73-2	2%
· Emulsions	Cas #	160875-66-1	15%-35%
· Distilled water, Deionized water			>85%

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:** N/A

4 First-Aid Measures

- **Description of first aid measures**
- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After Skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed.**
No further relevant information available.

5 Fire-fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Continued on Page 3)

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS
Rev03.

Printing date 05/02/2023

Reviewed on 05/02/2023

Trade name: SRD20 Vinyl Protectant

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:**
 - Dilute with plenty of water.
 - Do not allow to enter sewers / surface or ground water.
- **Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - Dispose contaminated material as waste according to item 13.
- **Reference to other sections:**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and Storage

- **Precautions for safe handling:**
 - Ensure good ventilation/exhaustion at the workplace
 - Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Protect from heat.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required
 - **Further information about storage conditions:**
 - Keep receptacle tightly sealed.
 - Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available

8 Exposure controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 - The products does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Do not eat, drink or smoke while handling.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.

(Continued on Page 4)

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS
Rev03.

Printing date 05/02/2023

Reviewed on 05/02/2023

Trade name: SRD20 Vinyl Protectant**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly sealed goggles

9 Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

Form: N/A

Color: White

Odor: N/A

Odour threshold: Not determined

pH-value: 8

Change in condition

Melting point/Melting range: ~32 F (0 C)

Boiling point/Boiling range: < 100 °C (< 212 °F)

Flash point: > 60 °C (> 140 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Auto igniting: Product is not self igniting.

Danger of explosion:**Explosion limits:**

Lower N/D

Upper: N/D

(Continued on Page 5)

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS
Rev03.

Printing date 05/02/2023

Reviewed on 05/02/2023

Trade name: SRD20 Vinyl Protectant

· Vapor pressure:	Not determined
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic materials:	15% - 35%
Water:	85.0%
VOC content:	0.0%
· Other information	No further relevant information available

10 Stability and Reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
None of the ingredients is listed.
- **NTP (National Toxicology Program)**
None of the ingredients is listed.

(Continued on Page 6)

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS
Rev03.

Printing date 05/02/2023

Reviewed on 05/02/2023

Trade name: SRD20 Vinyl Protectant

Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**
None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**
water, distilled water, deionized water

- **Proposition 65**

- **Chemicals known to cause cancer:**
None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**
None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**
None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard statements**

H227 Combustible liquid
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
P65Warnings: **N/A**

(Continued on Page 8)

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS
Rev03.

Printing date 05/02/2023

Reviewed on 05/02/2023

Trade name: SRD20 Vinyl Protectant**· Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat/sparks/open flames/hot surfaces.-No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A chemical Safety Assessment has not been carried out.

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)